



100

30

50000

50000L/
2022 10

3

45 /

5

/

2022

15.78

/

5.8

“

”

600

10000 / ED

2021-2024

2024

20.81%

670

2021 3

ñ

ò

7-ACA

	ProteinA
mRNA	oligodT
	oligodT
	50000L
	2022 10
	2000L

1

1.1

1.2

1.3

1

1.1

24001-2016/ISO 14001:2015
45001:2018
CE REACH

GB/T45001-2020/ISO
WQA Kosher FDA

50000
10000 2 2020
40000

15000 25000

SQM 16

1.3

25.03

20

1969

ESE

2011

U ð %

iFinD

iFinD

	LCE)
--	----------

2022

7

24.19GWh

114.19%

10.45%

2022

1-7

134.31GWh

110.58%

15 2018-2022

16 2018-2022

MWh

iFinD

iFinD

2022.08.11

417.36%

47.6

/

47.6

/

2022

SC6.0 CIF

Pilbara

BMX

6350 USD/t

7017

/

iFinD

2.3

+

+

517 1

0.01%
0.0eW*9604Tm7 Tm968.46 AMCI

18

	mg/L	%	Mg/Li
--	------	---	-------

	5 25000 /	2022.3	2023
	5000	2022.3	2022H2
		2022.5	
		2022.7	
		2022.7	

2.4

+

5G

2021

2035

(MEMS)

(IGBT)

21

ev	1.1	1.4	3.2	3.4
	1	1	2.7	2.2
	1.5	0.5	1.3	4.9

CNKI

22





CASA 2025
 2021-2025 35.23%

505

23 2016-2021

24




CASA

CASA

25

/




iFinD

USGS

64%


36%

26



USGS

27



CNKI



34

	Bivalirudin	Eptifibatide
	Exenatide	Liraglutide
	Buserelin	Goserelin
	Octreotide	
	Calcitonin	

4

		2016	2021	
	2021	5326	-	
6.75%				


iFinD

iFinD

11


	AmberTectMUP6040		MonojetR6040U	
	H	OH	H	OH
	≤ 1.2	≤ 1.2	≤ 1.1	≤ 1.1
Delta TOC ppb	525 ± 50	630 ± 50	600 ± 50	630 ± 50

38 2016-2020



iFinD

39 2017-2021



VOCs

CO2

Seplite™CT

VOCs

99.9%

VOCs

40 VOCs

4.

43%/46%/50%
2022-2024 5%

